



39-00-0107	2759PBTL	LOOSE	0.00091 MIN REFLOWED TIN	PHOS BRO.
39-00-0064	2759PBT	CHAIN		
39-00-0381	2759PBGL	LOOSE	SELECTIVE GOLD: 0.00038 MIN. OVERALL GOLD FLASH: 0.00005-0.00025 OVERALL NICKEL UNDERPLATE: 0.00076 MIN.	BRASS
39-00-0380	2759PBG	CHAIN		
39-00-0377	2759GL	LOOSE	SELECTIVE GOLD: 0.00038 MIN. OVERALL GOLD FLASH: 0.00005-0.00025 OVERALL NICKEL UNDERPLATE: 0.00076 MIN.	BRASS
39-00-0376	2759G	CHAIN		
39-00-0373	2759TL	LOOSE	0.00089 MIN REFLOWED TIN OVER 0.00051 MIN COPPER UNDERPLATE	BRASS
39-00-0372	2759T	CHAIN		
EDP.NO.	ENG.NO.	FORM	FINISH	MATL

NOTES:

1. MATERIAL: SEE CHART
2. FINISH: SEE CHART
3. PRODUCT SPECIFICATION PS-10-07
4. DIM 1.98 +0/-0.25 TO BE SYMMETRICAL WITHIN 0.13 T.I.R
5. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: REMOVED OBSOLETE PART NUMBER AS PER PCN#512351.	molex		
mm	NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)			MINI.KK.CRIMP TYPE TERM		
ANGULAR TOL	± °	EC NO: 717021	PRODUCT CUSTOMER DRAWING		
4 PLACES	±	DRWN: SANTHN 2022/08/08	DOCUMENT NUMBER		
3 PLACES	±	CHK'D: GGA 2022/08/09	SD-2759X		
2 PLACES	±	APPR: GGA 2022/08/09	DOC TYPE DOC PART REVISION		
1 PLACE	±	INITIAL REVISION:	PSD 001 Y1		
0 PLACES	±	DRWN: K. KOHAMA 2000/03/28 APPR: K. ASAKAWA 2000/04/28	SHEET NUMBER		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER
		C-SIZE	2759	SEE CHART	GENERAL MARKET
					1 OF 1